

## **IN THE CLAIMS:**

1. (Original) An intravertebral reduction system, comprising:  
a plurality of reduction elements positionable in an intravertebral space adjacent one another in contact with bony tissue, wherein said plurality of reduction elements act one upon the other upon sequential positioning thereof in the intravertebral space thereby compressing cancellous bony tissue and applying an outwardly directed corrective force in the intravertebral space to restore the vertebral body.
2. (Original) The system of claim 1, wherein said plurality of reduction elements are linked to one another.
3. (Original) The system of claim 2, wherein said plurality of reduction elements are linked by a connecting element extending through said plurality of reduction elements.
4. (Original) The system of claim 2, wherein said plurality of reduction elements are linked by a connecting element extending between adjacent ones of said plurality of reduction elements.
5. (Original) The system of claim 1, wherein said plurality of reduction elements each include a spherical shape.
6. (Original) The system of claim 1, wherein said plurality of reduction elements are comprised of a material selected from the group consisting of: PMMA, resorbable polymers, and calcium hydroxide.
7. (Original) The system of claim 1, wherein at least a portion of said plurality of reduction elements include exterior surface features to facilitate engagement between adjacent reduction elements.

8. (Original) The system of claim 7, wherein said exterior surface features include planar surfaces.

9. (Original) The system of claim 7, wherein said exterior surface features include recesses.

10. (Original) The system of claim 9, further comprising a material placeable in the intravertebral space around said plurality of reduction elements and in said recesses thereof for post-operative maintenance and stability of said plurality of reduction elements in the intravertebral space.

11. (Original) The system of claim 7, wherein said exterior surface features include a cavity extending through said reduction element.

12. (Original) The system of claim 1, further comprising a material placeable in the intravertebral space around said plurality of reduction elements for post-operative maintenance and stability of said plurality of reduction elements in the intravertebral space.

13. (Original) The system of claim 12, wherein said material is selected from the group consisting of: PMMA and resorbable bone cement.

14. (Original) The system of claim 1, further comprising a delivery member positionable adjacent the intravertebral space, said delivery member including a passage for delivery of said plurality of reduction elements thereto.

Claims 15-43 (Cancelled)

44. (New) An intravertebral reduction system, comprising:  
a plurality of reduction elements positionable in an intravertebral space adjacent one another in contact with bony tissue, wherein said plurality of reduction elements act randomly and radially one upon the other upon sequential positioning thereof in the intravertebral space

thereby compressing cancellous bony tissue and applying an outwardly directed corrective force in the intravertebral space to restore the vertebral body.

45. (New) The system of claim 44, wherein said plurality of reduction elements each include a spherical shape.

46. (New) The system of claim 44, wherein said plurality of reduction elements are comprised of a material selected from the group consisting of: PMMA, resorbable polymers, and calcium hydroxide.

47. (New) The system of claim 44, wherein at least a portion of said plurality of reduction elements include exterior surface features to facilitate engagement between adjacent reduction elements.

48. (New) The system of claim 47, wherein said exterior surface features include planar surfaces.

49. (New) The system of claim 47, wherein said exterior surface features include recesses.

50. (New) The system of claim 49, further comprising a material placeable in the intravertebral space around said plurality of reduction elements and in said recesses thereof for post-operative maintenance and stability of said plurality of reduction elements in the intravertebral space.

51. (New) The system of claim 47, wherein said exterior surface features include a cavity extending through said reduction element.

52. (New) The system of claim 44, further comprising a material placeable in the intravertebral space around said plurality of reduction elements for post-operative maintenance and stability of said plurality of reduction elements in the intravertebral space.

53. (New) The system of claim 52, wherein said material is selected from the group consisting of: PMMA and resorbable bone cement.

54. (New) The system of claim 44, further comprising a delivery member positionable adjacent the intravertebral space, said delivery member including a passage for delivery of said plurality of reduction elements thereto.

55. (New) An intravertebral reduction system, comprising:  
a plurality of reduction elements positionable in an intravertebral space adjacent one another in contact with bony tissue, wherein said plurality of reduction elements include exterior surface means for facilitating engagement between adjacent reduction elements and for facilitating said reduction elements acting randomly and radially one upon the other upon sequential positioning thereof in the intravertebral space to compress cancellous bony tissue and apply an outwardly directed corrective force in the intravertebral space to restore the vertebral body.

56. (New) The system of claim 55, wherein said plurality of reduction elements each include a spherical shape.

57. (New) The system of claim 55, wherein said plurality of reduction elements are comprised of a material selected from the group consisting of: PMMA, resorbable polymers, and calcium hydroxide.

58. (New) The system of claim 55, wherein said exterior surface means include planar surfaces.

59. (New) The system of claim 55, wherein said exterior surface means include recesses.

60. (New) The system of claim 55, further comprising a material placeable in the intravertebral space around said plurality of reduction elements and in said recesses thereof for post-operative maintenance and stability of said plurality of reduction elements in the intravertebral space.

61. (New) The system of claim 55, wherein said exterior surface features include a cavity extending through said reduction element.

62. (New) The system of claim 55, further comprising a material placeable in the intravertebral space around said plurality of reduction elements for post-operative maintenance and stability of said plurality of reduction elements in the intravertebral space.

63. (New) The system of claim 62, wherein said material is selected from the group consisting of: PMMA and resorbable bone cement.

64. (New) The system of claim 55, further comprising a delivery member positionable adjacent the intravertebral space, said delivery member including a passage for delivery of said plurality of reduction elements thereto.